

# TECHNICAL CHARACTERISTICS

## STAINLESS STEEL

## NOCOSPRAY



The portable stainless steel aerial surface bio-disinfection device.



Manufactured in France by Oxy'Pharm according to ISO 13485.

**Stainless steel nocospray** is a portable surface bio- disinfection device, developed for industrial use. It ensures aerial surface disinfection or disinsectisation when used along with our Nocolyse or Oxypy ranges.

A dry fog allows a uniform treatment of every cm<sup>2</sup> of surfaces, as a preventive or curative measure.

Treatment of volumes from 10 to 1,000 m<sup>3</sup>.



### EASY TO USE

Easy adjustment for the volume of the room to be treated thanks to its touchpad.



### ECONOMICAL

Very small amount of product required.



### GUARANTEED TIME SAVING

No preparation required before treatment (except for cleaning) or after treatment (no need to wipe or ventilate).



# TECHNICAL CHARACTERISTICS

Dimensions (L x W x H cm) 49.4 x 30 x 34.2cm

Empty weight 6.5 kg

## Packaging

- Dimensions (L x W x Hcm) 60 x 42 x 42 cm  
- Weight 9 kg

Maximal treatment volume 1,000 m<sup>3</sup>

Turbine speed 22,000 rpm

Output speed of the mist 80m/s

Average liquidflow rate 1,000 ml/h

## Storage conditions

- Temperature 0°C to 70°C  
- Hygrometry 10% to 95%

Power 1000 W

Average particle size <5 μ



FABRIQUÉ  
EN FRANCE



Manufactured in France by Oxy'Pharm according to ISO 13485.



+58-422-003-71-01



sales@innovustechca.com



innovustechca

# TECHNICAL CHARACTERISTICS

## COMPATIBILITY

- Disinfectant bottles (1 L): Nocolyse, Nocolyse+, Nocolyse Food, Nocolyse One Shot.
- Insecticide bottles (1 L): Oxypy, Oxypy+.

## PRECAUTIONS FOR USE

Read all product information before use. Instructions for use are available on request by email:



FABRIQUÉ  
EN FRANCE 

Manufactured in France by Oxy'Pharm according to ISO 13485. 

# THE BIO - DISINFECTION PROCESS



## 1. INSTALLATION

Installation of the Stainless steel NOCOSPRAY system in the room to be treated.




FABRIQUÉ  
EN FRANCE 

## 2. SPRAYING


Spraying of the product in the form of a dry mist in the room to be treated, evenly over all accessible surfaces.

# THE BIO - DISINFECTION PROCESS



### 3. CONTACT TIME

The dry mist remains suspended in the air and eliminates all microorganisms (viruses, bacteria, spores, yeasts, etc.) present on the accessible surfaces of the room.



FABRIQUÉ  
EN FRANCE 

### 4. BIODEGRADATION

The dry mist naturally degrades without leaving any residue and without corroding surfaces (including electronic and mechanical ones). No need to wipe or ventilate.